

Sample Date	Sample Time	Water Temperature (°F)	Weather	Stream Gauge (ft)	Water Velocity (ft/sec)	Turbidity (ntu)	Electrical Conductivity (µS)	Dissolved Oxygen (mg/L)
7/1/2021	8:00	59.1	CLR	1.9	5.3	5.52	194.2	10.08
7/2/2021	8:30	58.3	CLR	2	5.5	2.49	191.4	10.41
7/5/2021	8:30	58.3	CLR	1.8	3.8	2.23	195.5	10.27
7/6/2021	8:15	58.2	CLR	1.9		1.69	194.1	10.33
7/7/2021	8:30	58.6	CLR	1.88	5.7	2.44	197.3	10.2
7/8/2021	8:45	58.7	CLR	1.86	5.9	2.1	198.4	10.24
7/9/2021	8:30	59.1	CLD	1.9	5.2	1.73	195.7	10.23
7/12/2021	8:30	58.5	CLR	1.85	5.5	1.62	190.2	10.28
7/13/2021	8:15	58.3	CLR	1.9	5	1.27	199.5	10.3
7/14/2021	8:45	58.6	CLR	1.9	5.2	2.4	198.3	10.26
7/15/2021	8:30	58.4	CLR	1.9	4.8	2.06	199.1	10.25
7/16/2021	9:30	57.3	CLR	2	5.7	3.39	200	10.84
7/19/2021	8:15	58.3	CLR	2	4.8	2.12	198.1	10.36
7/20/2021	8:30	59	CLR	1.9	4.8	3.27	198.2	10.17
7/21/2021	8:30	58.5	CLR	1.9	5.2	2.01	197.4	10.18
7/22/2021	8:45	58.1	CLR	1.9	4.3	2.75	187.2	10.29
7/23/2021	8:30	57.6	CLR	2	5.2	2.18	199.3	10.45