

Sample Date	Batch Date	Sample Time	Instantaneous Water Temperature (°F)	Weather	Stream Gauge (ft)	Water Velocity (ft/sec)	Instantaneous Turbidity (ntu)	Instantaneous Electrical Conductivity (µS)	Instantaneous Dissolved Oxygen (mg/L)
6/1/2026		08:30 AM	57.6	Clear	1.26	2.7	1.77	172.1	9.26
6/2/2026	6/2/2026	10:00 AM	58.6	Clear	1.30	4.1	2.88	164.9	9.76
6/3/2026	6/3/2026	10:30 AM	58.2	Clear	1.32	3.4	2.09	164.5	10.40
6/4/2026	6/4/2026	08:30 AM	57.3	Clear	1.32	2.3	1.95	169.6	9.37
6/5/2026	6/5/2026	08:37 AM	58.9	Clear	1.36	1.4	1.67	163.5	9.01
6/8/2026		08:21 AM	58.8	Cloudy	1.36	3.1	2.75	170.7	9.03
6/9/2026	6/9/2026	08:24 AM	59.1	Cloudy	1.18	0.5	3.78	173.8	9.08
6/10/2026	6/10/2026	08:30 AM	59.8	Clear	1.32	2.0	2.37	176.9	8.98
6/11/2026	6/11/2026	08:35 AM	56.8	Clear	1.42	2.4	2.44	178.7	9.50
6/12/2026	6/12/2026	08:30 AM	57.5	Clear	1.48	3.3	1.83	173.5	9.30
6/15/2026		08:59 AM	56.9	Clear	1.36	4.8	1.96	155.6	9.58
6/16/2026	6/16/2026	08:29 AM	60.3	Clear	1.28	1.1	1.84	165.5	8.96
6/17/2026	6/17/2026	08:41 AM	59.7	Clear	1.26	0.6	2.61	164.2	9.08
6/18/2026	6/18/2026	08:30 AM	59.3	Clear	1.26	1.6	1.84	153.3	9.12
6/19/2026	6/19/2026	08:30 AM	58.7	Cloudy	1.40	3.1	1.72	174.7	9.17
6/22/2026		08:49 AM	57.4	Clear	1.30	2.5	1.91	172.8	9.57
6/23/2026	6/23/2026	08:30 AM	57.1	Clear	1.42	3.9	1.61	175.6	9.56
6/24/2026	6/24/2026	10:15 AM	56.9	Clear	1.35	2.6	1.31	186.7	9.89
6/25/2026	6/25/2026	10:00 AM	56.2	Clear	1.44	2.2	3.06	176.4	10.35
6/26/2026	6/26/2026	08:27 AM	60.9	Cloudy	1.42	1.0	1.64	169.0	9.03
6/29/2026	6/29/2026	10:15 AM	58	Clear	1.25	1.9	2.14	181.2	9.71
6/28/2026		03:18 PM	60.5	Clear	1.30		1.26	193.2	12.09
6/30/2026		09:45 AM	56.8	Clear	1.40	3.1	2.38	164.2	10.06