

Sample Date	Batch Date	Sample Time	Instantaneous Water Temperature (°F)	Weather	Stream Gauge (ft)	Water Velocity (ft/sec)	Instantaneous Turbidity (ntu)	Instantaneous Electrical Conductivity (µS)	Instantaneous Dissolved Oxygen (mg/L)
3/2/2026		11:30	52.3	Cloudy	1.63	3.5	3.08	0.17	11.05
3/3/2026	3/3/2026	10:21	52.0	Clear	1.40	2.2	3.18		10.90
3/4/2026	3/4/2026	9:38	52.0	Clear	1.40	2.7	3.53		10.76
3/5/2026	3/5/2026	10:00	52.0	Clear	1.10	2.1	3.79		10.71
3/6/2026	3/6/2026	9:45	50.5	Clear	1.10	1.8	3.18		10.78
3/9/2026	3/9/2026	10:30	53.2	Clear	1.12	4.4	3.12		10.42
3/10/2026	3/10/2026	9:45	53.3	Clear	1.14	4.1	3.04	181.20	10.26
3/11/2026	3/11/2026	10:29	52.3	Clear	0.86	1.3	3.36	66.30	10.59
3/12/2026	3/12/2026	11:32	53.9	Clear	0.86	1.8	2.68	66.80	10.79
3/13/2026	3/13/2026	8:34	53.6	Clear	0.80	1.4	3.94	95.20	9.80
3/16/2026		9:50	54.2	Clear	0.84	2.3	2.87	188.80	9.71
3/17/2026	3/17/2026	8:36	56.5	Clear	0.84	0.8	2.60		9.43
3/18/2026	3/18/2026	9:38	57.0	Clear	0.80	1.8	2.25	184.80	9.53
3/19/2026	3/19/2026	9:40	59.3	Clear	0.90	1.2	3.40	174.70	9.42
3/20/2026	3/20/2026	10:27	57.5	Clear	0.88	1.6	2.39	185.20	9.77
3/23/2026		10:45	56.7	Clear	0.78	1.6	2.13	197.20	9.90
3/24/2026	3/24/2026	9:56	56.8	Clear	0.88	1.5	3.63	177.20	9.60
3/25/2026	3/25/2026	8:22	56.2	Clear	0.86	1.6	2.27	180.20	9.26
3/26/2026	3/26/2026	8:55	58.0	Clear	0.62	0.3	2.77	188.90	
3/27/2026	3/27/2026	8:30	56.4	Cloudy	0.89	1.8	3.37	189.60	9.87
3/30/2026		12:40	60.7	Cloudy	0.72	2.5	2.10	185.30	10.39
3/31/2026	3/31/2026	8:30	59.3	Rain	0.64	1.6	2.09	203.00	9.16