



REGULAR BOARD MEETING

MAY 26, 2026



**STOCKTON  
EAST WATER  
DISTRICT**

PROVIDING SERVICE SINCE 1948

[www.sewd.net](http://www.sewd.net)

DIRECTORS

Richard Atkins  
Division 1

Andrew Watkins  
Division 2

Ryan Hansen  
Division 3

Melvin Panizza  
Division 4

Paul Sanguinetti  
Division 5

Paul Nakaue  
Vice President  
Division 6

Thomas McGurk  
President  
Division 7

STAFF

Justin M. Hopkins  
General Manager

Juan M. Vega  
Assistant General Manager

LEGAL COUNSEL

Jeanne M. Zolezzi  
General Counsel

Phone 209-948-0333  
Fax 209-948-0423

E-mail [sewd@sewd.net](mailto:sewd@sewd.net)

6767 East Main Street  
Stockton, CA 95215

Post Office Box 5157  
Stockton, CA 95205

MEETING NOTICE

A REGULAR MEETING OF THE BOARD OF DIRECTORS OF THE STOCKTON EAST WATER DISTRICT WILL BE HELD AT 12:30 P.M., TUESDAY, MAY 26, 2026 AT THE DISTRICT OFFICE, 6767 EAST MAIN STREET STOCKTON, CALIFORNIA 95215

**Assistance for the Disabled:** If you are disabled in any way and need accommodation to participate in the meeting, please contact Administrative Staff at (209) 948-0333 at least 48-hours in advance for assistance so the necessary arrangements can be made.

Agendas and minutes are located on our website at [www.sewd.net](http://www.sewd.net).

**AGENDA**

	<u>Page No</u>
<b>A. Pledge of Allegiance (Director Atkins) &amp; Roll Call</b>	
<b>B. Consent Calendar</b>	
1. Minutes 05/19/26	01
2. Warrants	
a. Fund 68 – Groundwater Production Fund	07
b. Fund 70 – Administration Fund	09
c. Fund 71 – Water Supply Fund	11
d. Fund 89 – Fish Passage Improvement Fund	13
e. Fund 91 – Vehicle Fund	15
f. Fund 94 – Municipal & Industrial Fund	17
g. Payroll	19
h. Summary	21
i. Short Names/Acronym List	23
j. SEWD Vehicles & Heavy Equipment	25
3. Warrants – California’ Public Employees’ Retirement System	27
<b>C. Public Comment (Non-Agenda Items)</b>	
<b>D. Scheduled Presentations and Agenda Items</b>	
1. Stockton East Water District – Staff Report – Consider Removal of Stone Columns and Pipe Piles under RCP, Steel Pipe, and Flow Meter Vaults Away from Weir at Bellota Weir Modifications Project	29
2. Stockton East Water District – Staff Report – Direction from the Board of Directors on Application of \$12.3 Million Department of Water Resources Grant for the Bellota Weir Modification Project	35
<b>The Following Items to be Discussed After Closed Session</b>	
3. Stockton East Water District – Staff Report – Consideration of Adopting Policy No. 6700, Wage Retention (Y-Rating) Policy, Establishing a Formal Wage Retention Framework for District Employees	39

<b>E.</b>	<b>Committee Reports</b>	
	1. Ad-Hoc Board Ethical Guidelines Review and Update Committee Meeting, 04/29/26	
<b>F.</b>	<b>Report of the General Manager</b>	
	1. Water Supply Report 05/19/26	45
	2. Informational Items	
	3. Report on General Manager Activities	
	a. Stockton East Water District’s Activities Update	
	4. Stockton East Water District Finance Update	
<b>G.</b>	<b>Director Reports</b>	
	1. 2026 State of the City, 05/20/26	47
	2. San Joaquin County Flood Control and Water Conservation District Advisory Water Commission Meeting, 05/20/26	49
	3. 2026 Bay-Delta Water Tour Dinner, 05/20/26	
	4. Eastern San Joaquin Groundwater Authority Ad-Hoc Executive Committee Meeting, 05/21/26	
<b>H.</b>	<b>Communications</b>	
	1. California Farm Water Coalition – “Food Grows Where Water Flows” Sign Placement Letter, 05/08/26	51
	2. ACWA JPIA – Completion of the JPIA Professional Development Program Specialty Letter, 05/19/26	55
	3. USBR – Adjusted Declaration of Water Made Available for 2026 – Stockton East Water District Contract Number 4-07-20-W0329-P (Contract), East Side Division, Central Valley Project (CVP), California Letter, 05/19/26	57
<b>I.</b>	<b>Agenda Planning/Upcoming Events</b>	
	1. Administration Committee Meeting, 9:00 a.m., 05/27/26 <i>*This meeting has been cancelled*</i>	
	2. Eastern Water Alliance Quarterly Meeting, 10:00 a.m., 06/04/26 <i>*This meeting has been cancelled*</i>	
	3. Greater Stockton Chamber of Commerce Meeting, – Stockton East Water District Networking Mixer 5:00 p.m., 06/04/26	59
	4. San Joaquin Farm Bureau – 112 <sup>th</sup> Annual Meeting, 5:30 p.m., 06/04/26	61

**J. Closed Session**

1. CONFERENCE WITH LEGAL COUNSEL - Real Property Negotiations Government Code 54956.8  
Property: San Joaquin County APNs 105-050-15, 105-050-17, 105-050-19, 105-110-45  
Agency Negotiation: Justin Hopkins, Jeanne Zolezzi  
Under Negotiation: Terms of Easement
2. CONFERENCE WITH LEGAL COUNSEL - Personnel  
Government Code 54957
3. CONFERENCE WITH LEGAL COUNSEL – ANTICIPATED LITIGATION Potential exposure to litigation – Government Code Section 54956.9 – one case

**K. Adjournment**

**Certification of Posting**

I hereby certify that on May 21, 2026 I posted a copy of the foregoing agenda in the outside display case at the District Office, 6767 East Main Street, Stockton, California, said time being at least 72 hours in advance of the meeting of the Board of Directors of the Stockton East Water District (Government Code Section 54954.2). Executed at Stockton, California on May 21, 2026.



\_\_\_\_\_  
Priya Ram, Director of Finance & Administration  
Stockton East Water District

Any materials related to items on this agenda distributed to the Board of Directors of Stockton East Water District less than 72 hours before the public meeting are available for public inspection at the District's office located at the following address: 6767 East Main Street, Stockton, CA 95215. Upon request, these materials may be available in an alternative format to people with disabilities.

THIS PAGE  
INTENTIONALLY  
LEFT BLANK

THE MEETING OF THE BOARD OF DIRECTORS  
OF STOCKTON EAST WATER DISTRICT WAS HELD AT THE DISTRICT OFFICE  
6767 EAST MAIN STREET, STOCKTON, CA  
ON TUESDAY, MAY 19, 2026, AT 12:30 P.M.

**A. PLEDGE OF ALLEGIANCE AND ROLL CALL**

President McGurk called the regular meeting to order at 12:30 p.m., Director Panizza led the Pledge of Allegiance.

Present at roll call at the District were Directors Atkins, Hansen, McGurk, Panizza, Sanguinetti and Watkins. Also present were Manager Hopkins, Assistant Manager Vega, Director of Finance and Administration Ram, District Engineer Evensen, Interim Water Operations Manager Brothers, Water Supply Manager Donis, Administrative Assistant Barraza, Consultant Barkett and Legal Counsel Zolezzi. Director Nakaue was absent.

**B. CONSENT CALENDAR**

1. Minutes 05/12/26 Regular Board Meeting
3. Stockton East Water District – Staff Report – Consider a Special Contract Services Agreement between Stockton East Water District and Kristin Coon Consulting

Director Watkins motioned to move item B-2 for discussion.

A motion was moved and seconded to approve the Consent Calendar, as presented.

Roll Call:

Ayes: Atkins, Hansen, McGurk, Panizza, Sanguinetti, Watkins  
Nays: None  
Abstain: None  
Absent: Nakaue

2. Warrants
  - a. Fund 68 – Groundwater Production Fund
  - b. Fund 70 – Administration Fund
  - c. Fund 71 – Water Supply Fund
  - d. Fund 89 – Fish Passage Improvement Fund
  - e. Fund 94 – Municipal & Industrial Fund
  - f. Summary
  - g. Short/Acronym List
  - h. SEWD Vehicles & Heavy Equipment

Director Watkins inquired about the Warrants and staff provided responses to the questions.

A motion was moved and seconded to approve the May 19, 2026, Warrants, as presented.

Roll Call:

Ayes: Atkins, Hansen, McGurk, Panizza, Sanguinetti, Watkins  
Nays: None  
Abstain: None  
Absent: Nakaue

### C. PUBLIC COMMENT

President McGurk opened the floor for Public Comments. Craig Stevens, on behalf of California Water Service (Cal Water), provided the Board with a public comment. Mr. Stevens reported Cal Water is very concerned about the water quality being received from the District and noted that they were not notified of the change in water source. He stated Cal Water is currently pumping additional groundwater and conducting flushing operations to help clear the pipes. Mr. Stevens further reported Cal Water has received numerous customer complaints regarding unpleasant odor and taste in the water. He informed the Board both Cal Water and the City of Stockton are actively working to resolve the issue. Additionally, Cal Water requested the District provide data from the Dr. Joe Waidhofer Water Treatment Plant (WTP).

Travis Small, on behalf of the City of Stockton, also provided the Board with public comments. Mr. Small reported that, similar to Cal Water, the City was not notified of the change in water source and has also received numerous customer complaints. He stated that when changes such as this occur, the City typically notifies customers in advance to make them aware of the situation; however, the City did not receive any written notification from the District regarding the change in water source.

Both Mr. Stevens and Mr. Small requested that, moving forward, they be notified in writing of any changes to the water source so they can appropriately inform their customers in advance.

### D. SCHEDULED PRESENTATIONS AND AGENDA ITEM

1. Stockton East Water District – Demand Beyond Supply: Building Resilience For Stockton East’s Next 50 Years

Manager Hopkins presented the Board with the “Stockton East Water District – Demand Beyond Supply: Building Resilience for Stockton East’s Next 50 Years” presentation. He provided an overview of the District’s visionary history, the challenges currently facing the District, and staff’s plans to address those challenges. Manager Hopkins reported the use of water supply within the West Groundwater Recharge Basin, Marciano Recharge Basins, New Hogan System, New Melones System, Central System, and the CVP Contract Modification. Additionally, he reported on efforts to secure and increase water supply through the Farmington Reservoir and Groundwater Banking Programs, including the Water Supply Enhancement Program and the Mokelumne Integrated Conjunctive Use Program (MICUP).

2. Stockton East Water District – Staff Report – Options to Strengthen Restrictions on Agricultural Reserves for Ability-to-Pay (ATP) Evaluations

Manager Hopkins presented the Board with a Staff Report for Options to Strengthen Restrictions on Agricultural Reserves for Ability-to-Pay (ATP) Evaluations. Manager Hopkins reported the Bureau of Reclamation’s Ability-to-Pay (ATP) methodology assumes that unrestricted District reserves are available for repayment of federal obligations. He reported as a result, Agricultural (AG) reserves that are not formally restricted may be considered available under ATP evaluations, even when those funds are intended for specific operational purposes.

A motion was moved and seconded to approve the recommendation to strengthen reserve considerations and authorize staff to implement the associated accounting and reporting updates, as presented.

Roll Call:

Ayes: Atkins, Hansen, McGurk, Panizza, Sanguinetti, Watkins

Nays: None

Abstain: None

Absent: Nakaue

3. Cancellation of June 2, 2026 Stockton East Water District Regular Board Meeting  
Manager Hopkins presented the Board with a Cancellation Notice of June 2, 2026 Stockton East Water District Regular Board Meeting. Manager Hopkins reported Assistant Manager Vega will be attending the 2026 SWAN Conference. He also informed the Board that he will be on vacation June 1 through June 2.

A motion was moved and seconded to approve Cancellation of June 2, 2026 Stockton East Water District Regular Board Meeting, as presented.

Roll Call:

Ayes: Atkins, Hansen, McGurk, Panizza, Sanguinetti, Watkins

Nays: None

Abstain: None

Absent: Nakaue

**E. COMMITTEE REPORTS**

1. Ad-Hoc Board Ethical Guidelines Review and Update Committee Meeting, 04/29/26  
This item will be brought back at the next Regular Board Meeting.
2. San Joaquin Farm Bureau Federation Monthly Water Committee Meeting, 05/13/26  
Director Watkins and Water Supply Manager Donis attended the San Joaquin Farm Bureau Federation Monthly Water Committee Meeting. Director Watkins reported North San Joaquin Water Conservation District may receive 10,000 acre-feet of the 20,000 acre-feet from East Bay Municipal Utility District. He also noted Central Delta Water Agency provided updates regarding State Water Projects.

**F. REPORT OF GENERAL MANAGER**

1. Water Supply Report as of 05/12/26  
Manager Hopkins provided a handout of the Water Supply Report for information only that included storage, release, and production data collected from various sources as of midnight last night.

There is 210,998 AF in storage at New Hogan Reservoir. Current releases are set at 168 cfs. There is 1,858,746 AF in storage at New Melones Reservoir. Current releases are set at 3,284 cfs. The current release at Goodwin Dam to Stanislaus River is set at 3,478 cfs and release to all water users is set at 3,235 cfs. The District's WTP is currently processing 34 mgd. The City of Stockton WTP is currently processing 20 mgd. The District groundwater production is currently 8 mgd.

2. Information Items: (None)
3. Report on General Manager Activities
  - a. Stockton East Water District Activities Update

Manager Hopkins reported the EPA has advanced the District's WIFIA Loan Application to underwriting, which he stated is a significant milestone in the process.

Manager Hopkins reported there have been several emails and meetings related to finalizing the District's SRF Loan Agreement for the Bellota Weir Modifications Project.

Manager Hopkins reported that the USBR has classified this year as a dry year. As a result, the East Side Division will be allocated 49,000 acre-feet of water, of which the District is expected to receive the first 15,000 acre-feet.

Manager Hopkins reported on the 2026 Linden Cherry Festival, in which the District participated in the parade. He reported his two daughters rode in the District truck and operated bubble machines for the crowd, as candy can no longer be thrown during the parade.

Manager Hopkins provided the Board with the equipment use for the week of 05/11/26.

4. Stockton East Water District Operations Update

Interim Water Operations Manager Brothers presented the Board with a WTP Update. Interim Water Operations Manager Brothers reported, for the month of April, the WTP collected 94 samples and there were 0 samples that tested positive for Coliform and E.coli. The rain totals for the past 30 days were 1.2 inches and the surface water production for the WTP was 3,202 AF and City of Stockton WTP was 1,241 AF. The groundwater production for Stockton East Water District was 618 AF, California Water Services was 317 AF and City of Stockton was 3 AF. Lastly, the TTHM average was 38 ppb and free chlorine average was 1.08 ppm.

Manager Hopkins added that the District and the Urban Contractors meet monthly to discuss and coordinate operations, specifically operational changes like the recent source change from New Hogan to New Melones supply. Given the Urban Contractors' recent comments, the District will communicate all source changes in writing going forward.

5. The Gualco Group Monthly Update

Kendra Daijogo with The Gualco Group presented the Board with a monthly update. Ms. Daijogo reported on the 2026 Tentative Legislative Calendar, highlighting several upcoming key dates. She reviewed the timeline for floor bills to be introduced in each house, upcoming floor sessions, the last day for each house to pass bills introduced in that house, the deadline for passage of the State budget, the final day to pass bills, and Election Day. Ms. Daijogo also reported on the 2026–2027 Budget and the revised budget balances for both the 2026–2027 and 2027–2028 fiscal years, noting that the State is making substantial progress in reducing long-term operating deficits in future years.

## **G. DIRECTOR REPORTS**

1. 31<sup>st</sup> Annual EBMUD Pardee BBQ, 05/15/26

Directors Atkins, McGurk and Sanguinetti, Manager Hopkins, Assitant Manager Vega, and District Engineer Evensen attended the 31<sup>st</sup> Annual EMBUD Pardee BBQ. Director Atkins reported there was a smaller crowd in attendance; the meal was good, and the speaker provided an informative presentation focused on looking toward the future.

2. 2026 Linden Cherry Festival Parade, 05/16/26

No Directors attended this event.

## **H. COMMUNICATIONS**

1. AB 2180 (Ward) – Support Letter, 03/24/26

Manager Hopkins presented the Board with the AB 2180 (Ward) – Support Letter. Manager Hopkins reported this letter is to express our strong support for AB 2180, which would clarify how water agencies comply with Proposition 218 when setting water rates.

**I. AGENDA PLANNING/UPCOMING EVENTS**

1. 2026 State of the City, 10:00 a.m., 05/20/26
2. Agricultural Operations Committee Meeting, 10:00 a.m., 05/20/26  
*\*This meeting has been cancelled\**
3. Municipal Operations Committee Meeting, 12:30 p.m., 05/20/26  
*\*This meeting has been cancelled\**
4. San Joaquin County Flood Control and Water Conservation District Advisory Water Commission Meeting, 1:00 p.m., 05/20/26
5. Eastern San Joaquin Groundwater Authority Ad-Hoc Executive Committee Meeting, 10:00 a.m., 05/21/26
6. ACWA State Legislative Committee Meeting, 10:00 a.m., 05/22/26
7. District Holiday – Memorial Day, 05/25/26

**I. REPORT OF THE COUNSEL**

1. CONFERENCE WITH LEGAL COUNSEL - Real Property Negotiations Government Code 54956.8  
Property: San Joaquin County APNs 105-050-15, 105-050-17, 105-050-19, 105-110-45  
Agency Negotiation: Justin Hopkins, Jeanne Zolezzi  
Under Negotiation: Terms of Easement
2. CONFERENCE WITH LEGAL COUNSEL – ANTICIPATED LITIGATION Potential exposure to litigation – Government Code Section 54956.9 – one case

President McGurk adjourned the meeting to closed session at 2:00 p.m. The regular meeting reconvened at 2:13 p.m., with no reportable action.

**K. ADJOURNMENT**

President McGurk adjourned the meeting at 2:14 p.m.

Respectfully submitted,

Justin M. Hopkins  
General Manager

eb

THIS PAGE  
INTENTIONALLY  
LEFT BLANK

STOCKTON EAST WATER DISTRICT  
INVOICES FOR BOARD PACKAGE  
MAY 26, 2026

Vendor name	Account #	Description	Amount	Invoice No.
1 PG&E 1949656419-6	10-5302-0	GROUNDWATER PROD. FUND 68 Gas & Electricity 04/15/26-05/13/26 Extraction Well #1	22,530.14	19496564196-05/13/26
		<b>GROUNDWATER PROD. FUND 68 TOTAL</b>	<b>\$22,530.14</b>	

*PR*

THIS PAGE  
INTENTIONALLY  
LEFT BLANK

STOCKTON EAST WATER DISTRICT  
INVOICES FOR BOARD PACKAGE  
MAY 26, 2026

Vendor name	Account #	Description	Amount	Invoice No.
		<b>ADMIN FUND 70</b>		
2 Alliant Insurance Services, Inc.	10-5128-0	June 4th Mixer Additional Liability premium	560.00	June4th Liability
3 Herum, Crabtree, Suntag	10-5150-0	April 2026-Central 1810 Argument/General Matter/ Claim/Mokelumne River	9,685.41	117725/729/731/734
4 Herum, Crabtree, Suntag	10-5165-0	April 2026 Stanislaus River Matters & Triennial Review	1,867.11	117724/117730
5 Herum, Crabtree, Suntag	10-5171-0	April 2026 Calaveras Contract & Calaveras River Fish Flows	2,374.56	117726/117728
6 Herum, Crabtree, Suntag	10-5190-0	April 2026 SEWD v. SWRCB (Triennial Review)	282.03	117732
7 Herum, Crabtree, Suntag	10-5177-0	April 2026 GSA-CALSPA v.	1,695.75	117733
8 Hip's Cleaning Enterprises LLC	10-5154-0	Admin carpet cleaning for 05/22/26	756.00	46149
9 Liebert Cassidy Whitmore	10-5150-0	Professional services through 04/30/26	145.50	322411
10 Stockton Windustrial Co.	10-5146-0	Monitoring Well Antennas-SCADA prj- Pipe taps and drill bits	65.27	403498.01
11 Wagner & Bonsignore CCE	10-5175-0	April 2026 Prof. services New Hogan Water Right	340.00	05-26-812
12 Water Education Foundation	10-5133-0	2026 Bay-Delta Tour Sponsorship	5,000.00	TBDT25SEWDNG
13 Wille Electric Supply Co., Inc.	10-5146-0	Monitoring Well Antennas - SCADA prj- Conduit clamps/Fittings/Din rail	162.55	S2295225.001/5726.001
14 Xerox Financial Services LLC	10-5124-0	Monthly lease for Plotter Printer- 05/18/26-06/17/26	747.85	42060103
		<b>ADMIN FUND 70 TOTAL</b>	<b>\$23,682.03</b>	

*PR*

THIS PAGE  
INTENTIONALLY  
LEFT BLANK

**STOCKTON EAST WATER DISTRICT  
INVOICES FOR BOARD PACKAGE  
MAY 26, 2026**

Vendor name	Account #	Description	Amount	Invoice No.
		<b>WATER SUPPLY FUND 71</b>		
15 Cole Land Surveyors	10-5203-0	Calaveras Pipeline-Clements Pipeline & Reservoir prj- Prof. Serv. April 2026	2,700.00	131
16 Grainger, Inc.	10-5202-0	Conduit clamps for repairs at Main Street Dam for Radio cables	168.30	9891499726
17 Grainger, Inc.	10-5205-0	Eight Mile Dam Replacement prj- Conduit clamps	1,571.82	9891452147/90685
18 HDR Engineering, Inc.	10-5205-0	Mormon Slough Railroad Bridge Fish Passage prj- Prof. Serv. 02/25/26-03/31/26	25,697.79	1200821298
19 HDS White Cap Construction Supply	10-5205-0	Eight Mile Dam Replacement prj-Rental of Wedge Bolts 03/26/26-04/08/26	19.94	10023455405
20 HDS White Cap Construction Supply	10-5202-0	Fasteners for installation of Dams	5.12	10023541226
21 Jesse The Tree Guy, Inc	10-5203-0	Calaveras Pipeline-Clements Pipeline & Reservoir-Tree cleaning RBM 03/17/26	40,656.00	INV0860
22 PG&E 1949656419-6	10-5213-0	Gas & Electricity 04/15/26-05/13/26 Bellota Block House-NM	8,561.79	19496564196-05/13/26
23 PG&E 1949656419-6	10-5202-0	Gas & Electricity 04/15/26-05/13/26 Bellota Block House-NH	2,773.00	19496564196-05/13/26
24 PG&E 2333223109-3	10-5213-0	Electricity 04/13/26-05/11/26 Sonora Rd-NMCF	136.78	23332231093-05/12/26
25 PG&E 8683314685-4	10-5213-0	Electricity 04/13/26-05/11/26 Duck Creek trash rack	172.07	86833146854-05/12/26
26 Platt Electric Supply Inc.	10-5205-0	Eight Mile Dam Replacement Project - PVC adhesive	9.30	7H10003
27 Uline	10-5205-0	Eight Mile Dam Replacement prj-Safety railing	1,331.60	206251817
28 Wille Electric Supply Co, Inc.	10-5213-0	Conduit for Tunnel Inlet gate	99.03	52281859.001
		<b>WATER SUPPLY FUND 71 TOTAL</b>	<b>\$83,902.54</b>	

*PRC*

THIS PAGE  
INTENTIONALLY  
LEFT BLANK

STOCKTON EAST WATER DISTRICT  
INVOICES FOR BOARD PACKAGE  
MAY 26, 2026

Vendor name	Account #	Description	Amount	Invoice No.
		<b>FISH SCREEN IMPROVEMENT FUND 89</b>		
29   HDR Engineering, Inc.	10-5180-0	Prof & technical support for DWSRF & WIFIA 03/29/26-05/09/26	1,624.43	1200825863
30   HDR Engineering, Inc.	10-5180-0	Bellota Weir Mod prj -Construction 02/23/26-03/31/26. RBM 05/06/25	178,016.14	1200821453
31   HDS White Cap Construction Supply	10-5180-0	Bellota Weir Modifications prj- Red Stake chaser for marking electrical	131.84	10023541141
32   PG&E	10-5180-0	Bellota Weir Modification prj- Permanent Electric Service agreement	46,680.51	132928493
		<b>FISH SCREEN IMPROVEMENT FUND 89 TOTAL</b>	<b>\$226,452.92</b>	

*PK*

THIS PAGE  
INTENTIONALLY  
LEFT BLANK

**STOCKTON EAST WATER DISTRICT  
INVOICES FOR BOARD PACKAGE  
MAY 26, 2026**

Vendor name	Account #	Description	Amount	Invoice No.
		<b>VEHICLE FUND 91</b>		
33 Kludt & Sons, Inc.	10-5343-0	Fuel cube with pump	4,051.40	340667
34 Stockton Auto & Truck	10-5182-0	Filters and brakes to service Unit 82	80.82	29338
35 Stockton Auto & Truck	10-5182-0	Brake cleaner/Carb cleaner/Oil to service vehicles for shop stock	183.92	29340/29403
		<b>VEHICLE FUND 91 TOTAL</b>	<b>\$4,316.14</b>	

*PR*

THIS PAGE  
INTENTIONALLY  
LEFT BLANK

**STOCKTON EAST WATER DISTRICT  
INVOICES FOR BOARD PACKAGE  
MAY 26, 2026**

Vendor name	Account #	Description	Amount	Invoice No.
		<b>MUNICIPAL &amp; INDUSTRIAL FUND 94</b>		
36 Alumichem USA Inc.	10-5301-0	ACH delivered on 04/23/26	29,082.67	INV27210
37 Amazon Capital Services, Inc.	10-5341-0	Rubber work boots- G. Martinez	102.35	1L74-CX63-7LFT
38 American Valley Waste Oil, Inc	10-5321-0	Pick up/Disposal of waste diesel & water from tank cleaning	1,810.00	226175
39 Chemtrade Chemicals	10-5301-0	Acidified Alum delivered on 04/27/26-05/07/26	56,823.68	90387883-90388431
40 Ferguson Enterprises, LLC #686	10-5321-0	PVC adhesive/Pipe/Fittings for maintenance on Hypo System	173.16	7526053
41 Grainger, Inc.	10-5321-0	Mounting brackets/Drill/Cutting bits for replacement VFD on P-26	246.56	9891452154/9891499734
42 HDS White Cap Construction Supply	10-5326-0	Repurpose Chlorine Room HVAC & furniture prj-Buckets/Mixing paddles/Squeegee	1,086.14	10023512157/2224/9377
43 MSC Industrial Supply	10-5321-0	Ball valves for maintenance at Treatment Plant	798.14	35928761
44 MSC Industrial Supply	10-5341-0	Chemical resistant gloves (3) for spraying	30.49	40040461
45 PG&E 1949656419-6	10-5302-0	Electricity 04/15/26-05/13/26 TP	25.73	19496564196-05/13/26
46 PG&E 1949656419-6	10-5303-0	Natural Gas 04/15/26-05/13/26 TP	1,035.59	19496564196-05/13/26
47 PG&E 3795916542-6	10-5302-0	Electricity 04/09/26-05/07/26 6767 E Main-North Raw Water	185.47	37959165426-05/08/26
48 PG&E 7493068226-0	10-5302-0	Electricity 04/16/26-05/14/26 Outdoor Light-TP	13.45	74930682260-05/14/26
49 Platt Electric Supply Inc.	10-5321-0	Conduit/Fittings/Clamps for maintenance on Booster Pump	182.60	7G89374

**STOCKTON EAST WATER DISTRICT  
INVOICES FOR BOARD PACKAGE  
MAY 26, 2026**

Vendor name	Account #	Description	Amount	Invoice No.
		<b>MUNICIPAL &amp; INDUSTRIAL FUND 94</b>		
50 Platt Electric Supply Inc.	10-5321-0	Fasteners for installation of actuator in Low Lift Pump Station	18.77	7H10620
51 Stockton Scavengers/Waste Management Corp Services Inc	10-5304-0	May 2026 garbage service @6767 East Main St	565.58	0113740-0051-8
52 Stockton Windustrial Co.	10-5321-0	Conduit fittings/Tubing and PVC cutter for installing particle counter at Shop 1	407.80	403124 01
53 Stockton Windustrial Co.	10-5321-0	Pipe/Fasteners/Brackets for Feeder 4	744.47	403088/107/209/241/380
54 Stockton Windustrial Co.	10-5321-0	Channel & Fasteners for replacement VFD on P-26	208.70	403195 01
55 Stockton Windustrial Co.	10-5321-0	Channel/Clamps/Sanding discs/Pipe fittings for maintenance on Hypo System	1,044.96	403196/639/644
56 The Home Depot	10-5326-0	Repurpose Chlorine Room HVAC & furniture prj-Drywall/Compound/Fasteners	1,329.08	1020280/1020316
57 The Home Depot	10-5324-0	Plants/Lawn fertilizer/Wash bucket/Window cleaner for TP grounds maintenance	947.45	7905226
58 Uline	10-5321-0	Safety railing for walkway around- LLPS/Hypo building/Tank far	2,151.81	206717119/4887/5716
59 Univar USA Inc.	10-5301-0	Caustic Soda delivered 04/24/26 & 05/04/26	10,120.59	53868779/53859998
60 Valley Forklift	10-5328-0	Rental of Small Forklift for removal of VFD on P-26 04/03/26-04/09/26	971.78	R310002720-1
61 Wille Electric Supply Co, Inc.	10-5321-0	Conduit fittings for Booster Pump & Wire connectors/Straps for Feeder 4	220.71	S2295341.001/S2295563.001
62 Woodbridge Irrigation Dist.	10-5211-0	Water transfer sale March 2026 & April 2026	1,930.50	2550/2551
		<b>MUNICIPAL &amp; INDUSTRIAL FUND 94 TOTAL</b>	<b>\$112,258.23</b>	

*PKC*

STOCKTON EAST WATER DISTRICT  
PAYROLL EXPENSES MAY 26, 2026

Vendor name	Description	Amount
	<b>ADMIN FUND 70</b>	
1 SEWD Fund 01-General Fund	Payroll Date - 05/08/26	52,274.05
	Payroll Date - 05/22/26	60,840.81
	<b>ADMIN FUND 70 PAYROLL TOTAL</b>	<b>\$ 113,114.86</b>
	<b>WATER SUPPLY FUND 71</b>	
	Payroll Date - 05/08/26	45,947.57
	Payroll Date - 05/22/26	46,969.30
	<b>WATER SUPPLY FUND 71 PAYROLL TOTAL</b>	<b>\$ 92,916.87</b>
	<b>MUNICIPAL &amp; INDUSTRIAL FUND 94</b>	
	Payroll Date - 05/08/26	150,883.68
	Payroll Date - 05/22/26	166,834.36
	<b>MUNICIPAL &amp; INDUSTRIAL FUND 94 PAYROLL TOTAL</b>	<b>\$ 317,718.04</b>
	<b>TOTAL FOR RBM 05/26/2026</b>	<b>\$ 523,749.77</b>

PK

THIS PAGE  
INTENTIONALLY  
LEFT BLANK

**STOCKTON EAST WATER DISTRICT  
INVOICES FOR BOARD PACKAGE  
MAY 26, 2026**

<b>Fund Number</b>	<b>Fund Summary</b>	<b>AP Amount</b>	<b>Payroll Amount</b>
Fund 68	Groundwater Prod. Fund	22,530.14	
Fund 70	Administration Fund	23,682.03	113,114.86
Fund 71	Water Supply Fund	83,902.54	92,916.87
Fund 89	Fish Screen Improvement Fund	226,452.92	
Fund 91	Vehicle Fund	4,316.14	
Fund 94	Municipal & Industrial Fund	112,258.23	317,718.04
	<b>TOTAL FUND SUMMARY</b>	<b>\$473,142.00</b>	<b>\$523,749.77</b>

*PR*

THIS PAGE  
INTENTIONALLY  
LEFT BLANK

Short Names/Acronym List

ACH	Aluminum Chlorohydrate
ACWA	Association of California Water Agencies
Admin	Administration
Ads	Advertisement
AF	Acre Feet
AG	Agriculture
AR	Accounts Receivable
AWP	Alternative Work Program
CEQA	California Environmental Quality Act
Chgs	Charges
CM	Construction Management
COP	Certificate of Participation
CSDA	California Special District Authority
CSJWCD	Central San Joaquin Water Conservation District
CVPWA	Central Valley Project Water Association
CWS	California Water Services Company
DB	Distribution Box
DBCP	Dibromochloropropane
DDTS	Direct Distance Telephone Service
DL	Direct Line
Educ	Education
FCC	Federal Communications Commission
FOIA	Freedom of Information Act
GM	General Manager
HCP	Habitat Conservation Plan
HP	Hewlett Packard
HSPS	High Service Pump Station
HVAC	Heating, Ventilating Airconditioning
LD	Long Distance
LFC	Lower Farmington Canal
LLPS	Low Lift Pump Station
LT2	Long Term 2 -Enhanced Surface Water Treatment Rule
M&O	Maintenance & Operations
MCC	Master Control Center
Misc.	Miscellaneous
mtg	Meeting
NH-	New Hogan
NM	New Melones
NH3-N	Ammonia
NMCF	New Melones Conveyance Facility
NWRP	New Water Reservoir Project
OBA	Oxygen Breathing Apparatus
OCR	Old Calaveras River
PACL	Poly Aluminum Chloride
PM	Preventive Maintenance
Prof	Professional
PSM	Process Safety Management
PVC	Polyvinyl Chloride
RMP	Risk Management Plan
SCADA	Supervisory Control And Data Acquisition
SCBA	Self Contained Breathing Apparatus
SEWD	Stockton East Water District
SWRCB	State Water Resources Control Board
St	Street
T5	Water Treatment Operator Certificate Grade 5
Tel	Telephone
THM	Trihalomethane
TO	Task Order
TP	Treatment Plant
UFC	Upper Farmington Canal
UPS	Uninterrupted Power Supply
VAMP	Vernalis Adaptive Management Plan
VFD	Variable Frequency Drive
WMP	Water Management Plan
WQMS	Water Quality Monitoring System
WS	Water Supply
WSEP	Water Supply Enhancement Project
WTP	Water Treatment Plant

THIS PAGE  
INTENTIONALLY  
LEFT BLANK

<b>Vehicles</b>	
Unit 57 2011 Ford F150 Pickup Long Bed	Pickup Truck
Unit 65 2015 Ford F250 S-Duty 4wd	Pickup Truck
Unit 66 2015 Ford F250 S-Duty 4wd	Pickup Truck
Unit 67 2015 Ford F250 S-Duty 4wd	Pickup Truck
Unit 69 2015 Ford F150 4x4 Supercrew Pickup	Pickup Truck
Unit 74 2019 Ford F250 S-Duty 4wd	Pickup Truck
Unit 75 2019 Ford F250 S-Duty 4wd	Pickup Truck
Unit 76 2020 Ford Escape	Automobile
Unit 79 2022 Ford F150	Pickup Truck
Unit 80 2022 Ford F150	Pickup Truck
Unit 81 2022 Ram 1500	Pickup Truck
Unit 82 2023 Toyota Tacoma	Pickup Truck
Unit 83 2023 Toyota Tacoma	Pickup Truck
Unit 84 2023 Toyota Tacoma	Pickup Truck
Unit 85 2023 Toyota Tacoma	Pickup Truck
Unit 86 2023 Ford F-350	Pickup Truck
Unit 87 2023 Ford F-350	Pickup Truck
Unit 88 2024 Toyota Rav4	Automobile
Unit 89 2024 Toyota Rav4	Automobile
Unit 90 2024 Ford F-350	Pickup Truck
Unit 92 2024 Ford F-150	Pickup Truck
Unit 93 2024 Toyota Tacoma	Pickup Truck
Unit 94 2024 Toyota Tacoma	Pickup Truck
Unit 97 2026 Ford F-650 Flatbed Dump Truck	Pickup Truck
Unit 103 2025 Ford F-150 Lightning Pro	Pickup Truck-Electric
<b>Light equipment</b>	
Unit 102 Genie GS 1930 Scissor Lift	Lift
Unit 70 2016 Cat Forklift	Forklift
Unit 58 2014 Polaris Ranger EV- Maintenance	Utility Vehicle
Unit 59 2014 Polaris Ranger EV- Maintenance	Utility Vehicle
Unit 62 2014 Polaris Ranger EV- Water Supply	Utility Vehicle
Unit 99 2025 Kubota RTVX2 UTV	Utility Vehicle
Unit 100 2025 Kubota RTVX2 UTV	Utility Vehicle
Unit 101 2025 Kubota RTVX2 UTV	Utility Vehicle
<b>Heavy equipment</b>	
Unit 29 Caterpillar Backhoe	Heavy Equip.
Unit 38 John Deere 6420 Tractor	Tractor
Unit 41 Case Tractor 570mxt Turbo	Tractor
Unit 52 Kubota Tractor	Tractor
Unit 53 2011 Kenworth T300 Dump Truck (dsl)	Heavy Truck
Unit 56 2010 Ford F450 Truck	Heavy Truck
Unit 73 2018 Caterpillar Backhoe	Heavy Equip.
Unit 77 2022 CAT Long Reach Excavator	Heavy Equip.
Unit 95 Manitex 26 Ton Crane Truck	Heavy Truck
Unit 96 2024 F-550 Crew Cab Diesel w.12ft scelzi	Heavy Truck
Unit 98 2025 325 Blade Excavator	Heavy Equip.
<b>Accessories</b>	
Dive Boat	Accessory
Boat Trailer	Trailer
Allis-Chalmers Disc	Accessory
Pak Flail Mower (orange)	Accessory
Alamo Articulate Mower Attachment	Accessory
Landpride RCR2596 Rotary Mower	Accessory
Unit 30 Big Tex Equipment Trailer /25,900gvwr	Trailer
Unit 34 2000 Cartaway Tank Trailer /6000gvw	Trailer
Unit 43 2007 Wells Cargo Trailer Model TW122	Trailer
Unit 44 1996 Genie Lift TZ-34/20 Knuckleboom	Trailer
Unit 50 6 Diesel Pump	Trailer
Unit 51 12 Diesel Pump	Trailer
Unit 68 2015 Utility Trailer	Trailer
Unit 71 2017 Utility Landscaping Trailer	Trailer
Unit 72 2002 Utility Trailer	Trailer
Unit 91 2024 Kauffman Equipment Trailer	Trailer
Spray Rig 03	Trailer
Spray Rig 05	Trailer

THIS PAGE  
INTENTIONALLY  
LEFT BLANK

**STOCKTON EAST WATER DISTRICT  
INVOICES FOR BOARD PACKAGE  
CALPERS EFT REQUEST  
May 26, 2026**

Vendor name	District Fund#	Account #	Description	Amount	Invoice No.
1 CA Public Employees Retirement System (CalPERS)	70	10-5049-0	Retirement Contributions for Payroll 05/08/26-Admin	8,566.49	05/22/26 1245106351
			<b>Total Fund 70 Admin</b>	<b>\$ 8,566.49</b>	
2 CA Public Employees Retirement System (CalPERS)	71	10-5049-0	Retirement Contributions for Payroll 05/08/26-WS-NM	7,019.86	05/22/26 1245106351
3 CA Public Employees Retirement System (CalPERS)	71	10-5058-0	Retirement Contributions for Payroll 05/08/26-WS-NH	2,303.43	05/22/26 1245106351
			<b>Total Fund 71 Water Supply</b>	<b>\$ 9,323.29</b>	
4 CA Public Employees Retirement System (CalPERS)	94	10-5049-0	Retirement Contributions for Payroll 05/08/26-M&I	24,149.75	05/22/26 1245106351
			<b>Total Fund 94 Municipal &amp; Industrial</b>	<b>\$ 24,149.75</b>	
<b>Grand Total for Electronic Funds Transfer Request on RBM 05/26/26</b>				<b>\$ 42,039.53</b>	

*PR*

THIS PAGE  
INTENTIONALLY  
LEFT BLANK

**DATE: May 26, 2026**

**AGENDA ITEM NO. D-1**

---

**TITLE: Construction of Bellota Weir Modifications Project**

**SUBJECT: Consider Removal of Stone Columns and Pipe Piles under RCP, Steel Pipe, and Flow Meter Vaults Away from Weir at Bellota Weir Modifications Project**

---

**Executive Summary**

The Bellota Weir Modifications Project is currently under construction by Shimmick Construction under a contract valued at \$50,630,000 (plus 20% contingency). During construction, District Staff, HDR, and Shimmick evaluated opportunities to reduce project costs while maintaining appropriate risk management standards.

Staff recommends retaining the full seismic design specifications — including pipe piles and stone columns — for the high-cost Weir and Screened Intake Structure, given the significant expense of rebuilding those facilities. However, Staff has determined that removing similar improvements from the connecting pipelines represents a prudent, risk-managed cost reduction. The District's existing 54-inch Bellota Pipeline has operated without seismic damage for over 50 years under comparable conditions, supporting this determination.

Staff recommends the Board authorize the General Manager to execute a change order removing stone columns and pipe piles from the pipeline segments outside the Weir and Intake Structure, for an estimated savings of \$1,445,769.

**Background**

The Bellota Weir Modifications Project will improve operational reliability, water conveyance capabilities, and long-term infrastructure resiliency for the District's water delivery system. The Project includes construction of a new weir with automated Obermeyer Gates, screened intake structure, pipeline crossings, roughened fish passageway and flow meters in vaults to convey water to the Dr. Joe Waidhofer Water Treatment Plant, Mormon Slough and Old Calaveras River.

As construction progressed, District Staff, HDR, and Shimmick evaluated the necessity of these improvements in relation to overall system reliability, project costs, and operational priorities.

Staff approached their review with the decision that the Bellota Weir and Screened Intake Structure with Fish Ladder are high priority and very expensive structures in the Project and that it was important to follow HDR's seismic design based on the cost to rebuild those structures even though the probability is extremely low for liquefaction during a regional earthquake. However, substantial savings are available on the construction of the connection pipelines based on risk management, fiscal responsibility, and system consistency.

The District's existing 13 miles of 54-inch Bellota Pipeline infrastructure was installed in the 1970s using standard engineered bedding without stone columns or pile supports.

Over its 50+ year operational history, this pipeline has successfully withstood multiple major regional seismic events—including the 1980 Livermore (M5.8), 1983 Coalinga (M6.2), and 1989 Loma Prieta (M6.9) earthquakes—with zero structural failures or liquefaction-related damage.

Staff requested Shimmick estimate costs related to the removal of designed stone columns and pipe piles for the project pipelines from south of the Bellota Weir to the South Junction Box and from the Intake Screening Structure north to the Old Calaveras River. The District has received the following estimated cost savings of \$1,445,769 if stone columns and pipe piles were removed from the Project under the pipelines discussed (**Table 1**):

<b>Option</b>	<b>Estimated Cost</b>
South of Weir	\$535,559
South Meter Vault	\$131,421
Old Calaveras Meter Vault	\$184,928
Old Calaveras Pipelines	\$593,861
<b>Total</b>	<b>\$1,445,769</b>

**Table 1. Cost Savings Related to Removal of Designed Stone Columns and Pipe Piles**

***Stone columns and Pipe Pile Support Systems***

Stone columns and pipe pile support systems were incorporated in select areas to mitigate settlement and seismic-related risks associated with subsurface conditions.

Stone columns are ground improvement elements constructed by drilling or vibrating holes into soils and filling them with compacted crushed rock or gravel. The columns increase the strength and stability of the soil, reduce settlement, and improve resistance to liquefaction during earthquakes.

Pipe piles are deep foundation elements consisting of large steel pipes driven or drilled into the ground to support structures and transfer loads to deeper, more stable soils. Pipe piles are used where shallow soils are weak, unstable, or susceptible to settlement or seismic movement.

As a result of these evaluations, Shimmick submitted estimated pricing totaling \$1,445,769 for removal of the identified stone column and pipe pile related work from the Project scope. District Staff is requesting Board direction regarding acceptance of the proposed removals based on associated project risk considerations. The following Figure 1 shows the installed pipe pile locations under the screened intake structure and weir. Figures 2 and 3 show the layout for the stone columns under the pipelines and structures that convey water from the intake structure and after the weir.

NOTE:

# PILE GRID #




Figure 1. Installed Pipe Piles



### **Summary**

The proposed removals would provide substantial cost savings to the District; however, the Board should recognize that the removal of these improvements may increase the potential for pipeline damage during a major seismic event, which could require future repair and maintenance efforts.

District Staff recommends the Board of Directors authorize the General Manager to execute a change order to eliminate the stone columns and pipe piles along the pipelines outside of the Weir and Intake Structure for an estimated savings of around \$1,445,769.

### **Financial Impact**

Shimmick was awarded the construction contract for the Construction of Bellota Weir Modifications Project in the amount of \$50,630,000, plus a 20% contingency of \$10,126,000, for a total authorization of \$60,756,000.

The estimated amount of \$1,445,769 represents a reduction in the original scope of work associated with stone columns and pipe pile improvements. However, the removal does not result in a less than bid amount project cost due to previously approved and pending change orders. The total cost of approved change orders to date is \$1,098,467.21.

The final net financial impact to the Project budget will depend on the total cost of all the project change orders, which are projected to be well within the Project contingency.

### **Recommendation**

District Staff recommends the Board of Directors authorize the General Manager to execute a change order to eliminate the stone columns and pipe piles along the pipelines outside of the Weir and Intake Structure for an estimated savings of around \$1,445,769.

**Staff Responsible for Report**

Manuel Verduzco  
Manuel Verduzco, Senior Engineer

Date: 05/26/26

Darrel Evensen  
Darrel Evensen, District Engineer

Date: 05/26/26

Juan M. Vega  
Juan M. Vega, Assistant General Manager

Date: 05/26/26

Justin M. Hopkins  
Justin M. Hopkins, General Manager

Date: 05/26/26

**Attachments**

1. None

**DATE: May 26, 2026**

**AGENDA ITEM NO. D-2**

**TITLE: Application of DWR Grant – Bellota Weir Modification Project**

**SUBJECT: Direction from the Board of Directors on Application of \$12.3 Million Department of Water Resources Grant for the Bellota Weir Modification Project**

**Executive Summary**

Stockton East Water District (SEWD) has been awarded a \$12.3 million grant from the California Department of Water Resources (DWR) in connection with the Bellota Weir Modification Project. The Project has a revised total estimated cost of \$73 million, allocated among the District's M&I, Recharge, and Agricultural (AG) customer classes based on a 2023 cost allocation study prepared by Raftelis. Staff requests direction from the Board on how to apply the grant proceeds toward the allocated project costs. Two options are presented for Board consideration.

**Background**

The Bellota Weir Modification Project is required as a condition of the Calaveras River Habitat Conservation Plan (CHCP) and the Calaveras River Anadromous Fish Protection Project. The Project involves modifications to the existing Bellota Weir facility on the Calaveras River and includes construction of a new screened diversion intake, a fish ladder, a roughened channel, a fish exclusion structure on the Old Calaveras River, and associated conveyance improvements. The Project is required to allow the District to continue its water supply diversions from the Calaveras River for M&I and AG customers while meeting applicable fish passage and entrainment mitigation requirements.

In 2023, the District retained Raftelis to develop a cost allocation methodology for the Project. Raftelis allocated costs among customer classes based on three principal factors: the original funding history of the existing Bellota Weir infrastructure, the purpose and required nature of each Project component, and the current and future functionality of each component as it pertains to M&I, AG, and Recharge service. The resulting allocation assigned 94.9% of Project costs to M&I, 3.0% to AG, and 2.1% to Recharge customers. The Project's revised total estimated cost is \$73 million, which results in the following gross cost allocation by customer class:

<b>Customer Class</b>	<b>Gross Cost</b>	<b>Grant Applied</b>	<b>Net Cost to SEWD</b>
M&I (94.9%)	\$69,277,000	—	\$69,277,000
Recharge (2.1%)	\$1,533,000	—	\$1,533,000
AG (3.0%)	\$2,190,000	—	\$2,190,000
<b>Total</b>	<b>\$73,000,000</b>	<b>—</b>	<b>\$73,000,000</b>

### **Summary**

SEWD has been awarded a \$12.3 million DWR grant to offset a portion of these costs. The Board must determine how to apply grant proceeds. The following two options are presented for direction.

### **Option 1 – Apply Grant Proportionally in Accordance with the Raftelis Cost Allocation**

Under this option, the \$12.3 million grant would be applied to each customer class in the same proportions established by the Raftelis study (M&I: 94.9%; Recharge: 2.1%; AG: 3.0%), as shown in Table 1.

<b>Customer Class</b>	<b>Gross Cost</b>	<b>Grant Applied</b>	<b>Net Cost to SEWD</b>
M&I (94.9%)	\$69,277,000	\$11,673,000	\$57,604,000
Recharge (2.1%)	\$1,533,000	\$258,000	\$1,275,000
AG (3.0%)	\$2,190,000	\$369,000	\$1,821,000
<b>Total</b>	<b>\$73,000,000</b>	<b>\$12,300,000</b>	<b>\$60,700,000</b>

Table 1. Proportional Application of Grant

### **Option 2 – Apply Grant to Cover Agricultural Share in Full, with Remainder to M&I**

Under this option, the grant would first be applied to fully eliminate the AG customer class share (\$2.19 million). The remaining grant balance of approximately \$10.11 million would then be applied to reduce M&I's share of project costs. The Recharge customer class share would remain unchanged, as shown in Table 2.

<b>Customer Class</b>	<b>Gross Cost</b>	<b>Grant Applied</b>	<b>Net Cost to SEWD</b>
M&I (94.9%)	\$69,277,000	\$10,110,000	\$59,167,000
Recharge (2.1%)	\$1,533,000	\$0	\$1,533,000
AG (3.0%)	\$2,190,000	\$2,190,000	\$0
<b>Total</b>	<b>\$73,000,000</b>	<b>\$12,300,000</b>	<b>\$60,700,000</b>

Table 2. AG Share in Full, then M&I


**Financial Impact**

Under both options, the \$12.3 million DWR grant reduces total Project costs to SEWD from \$73 million to \$60.7 million. The distribution of grant benefit between customer classes differs as described above.

**Recommendation**

Staff requests that the Board provide direction on which option to apply for the \$12.3 million DWR grant toward the Bellota Weir Modification Project allocated costs, and authorize the General Manager to proceed accordingly..

**Staff Responsible for Report**

  
Justin M. Hopkins, General Manager

Date: 05/26/26

**Attachments**

1. None

THIS PAGE  
INTENTIONALLY  
LEFT BLANK

**DATE: May 26, 2026****AGENDA ITEM NO. D-3**

---

**TITLE: Adoption of Policy No. 6700 – Wage Retention (Y-Rating) Policy****SUBJECT: Consideration of Adopting Policy No. 6700, Wage Retention (Y-Rating) Policy, Establishing a Formal Wage Retention Framework for District Employees**

---

**Executive Summary**

Stockton East Water District (District) staff recommend the Board of Directors (Board) adopt Policy No. 6700, Wage Retention (Y-Rating) Policy. The policy establishes a formal, consistent framework for retaining the base salary of employees whose pay exceeds the maximum of the salary range for their position as a result of a reclassification, reorganization, salary survey adjustment, position elimination, or voluntary acceptance of a lower-classified position to avoid layoff. The policy ensures equitable treatment of affected employees while preserving the integrity of the District's overall compensation structure.

**Background**

As the District continues to grow and evolve, periodic organizational changes – including position reclassifications, restructurings, reductions in force, and salary survey adjustments – may result in employees being placed in positions with salary ranges that do not accommodate their current rate of pay. Without a formal wage retention policy, the District lacks a consistent, documented framework for addressing these situations, which creates risk of inequitable treatment and potential legal and labor relations exposure.

Wage retention, commonly referred to as "y-rating," is a standard practice among California public agencies. Under a y-rating, an employee's salary is held at the retained rate above the new salary range maximum, with the expectation that the range will eventually increase through normal compensation adjustments until it reaches or exceeds the employee's retained rate. The practice protects employees from an immediate pay reduction caused by circumstances generally outside their control, while avoiding an open-ended financial commitment to increase their salary beyond established compensation ranges.

The District does not currently have a formal policy governing this practice. Adoption of Policy No. 6700 will provide clear, written guidance to staff, the Board, and affected employees, and ensure the District administers wage retention actions consistently and in accordance with best practices.

**Summary**

Policy No. 6700 addresses the following key elements:

- Eligibility: Wage retention applies to regular District employees whose base salary exceeds the maximum of the salary range for their position as a result of a reclassification to a lower range, position elimination through reorganization or reduction in force, a Board-accepted salary survey adjustment that reduces the salary range for a classification, or voluntary acceptance of a lower-classified position to avoid layoff. Disciplinary demotions are excluded unless approved by the General Manager.

- **Retained Rate:** The employee's base salary is held at the rate in effect at the time of the y-rating action and is not eligible for merit or step increases during the y-rating period.
- **COLA:** Y-rated employees shall not receive cost-of-living adjustments (COLA) unless the salary range maximum for their classification exceeds their retained rate. This ensures the y-rating is gradually resolved as salary ranges are adjusted over time.
- **Benefits:** Y-rated employees continue to receive all District benefits on the same basis as other employees in their classification.
- **Termination of Y-Rating:** Y-rating ends when the salary range maximum for the employee's current position is adjusted upward to meet or exceed the retained rate, when the employee is promoted or reclassified upward to a position with an appropriate range, or upon separation from District employment.
- **Administration:** The General Manager is responsible for approving y-rating actions and administering the policy. All y-rating actions are documented in the employee's personnel file.


**Financial Impact**

Adoption of Policy No. 6700 has no financial impact.

**Recommendation**

Staff recommend the Board of Directors adopt Policy No. 6700, Wage Retention (Y-Rating) Policy, as presented in the attached policy document, and authorize the General Manager to administer the policy consistent with its terms.

**Staff Responsible for Report**

  
 \_\_\_\_\_  
 Justin M. Hopkins, General Manager

Date: 05/26/26

**Attachments**

1. Draft Wage Retention (Y-Rating) Policy No. 6700



# STOCKTON EAST WATER DISTRICT <sup>Attachment 1</sup> POLICY MANUAL

## No. 6700 Wage Retention (Y-Rating) Policy

ADOPTED:

May 26, 2026

### Contents

A. Purpose .....	1
B. Scope .....	1
C. Definitions .....	1
D. Guidelines .....	2
E. Administration .....	3
F. Review and Updates .....	3

### A. Purpose

The purpose of this policy is to establish a fair and consistent process for retaining the salary of a District employee whose pay rate exceeds the maximum of the salary range for their position as a result of reclassification, reorganization, salary survey adjustment, position elimination, or voluntary acceptance of a lower-classified position to avoid layoff. Y-rating is intended to recognize an affected employee's tenure and contribution while ensuring the District's overall compensation structure remains equitable and fiscally sustainable.

### B. Scope

This policy applies to all regular District employees whose rate of pay exceeds the established maximum of the salary range for their position due to one or more of the following circumstances:

1. The employee's position is reclassified to a lower salary range;
2. The employee's position is eliminated, and the employee is placed in a lower-classified position through a reorganization or reduction in force;
3. The salary range for the employee's classification has been reduced as a result of a Board of Directors accepted salary survey; or
4. The employee voluntarily accepts a lower-classified position to avoid layoff.

This policy does not apply to employees whose salary exceeds the maximum range as a result of a disciplinary demotion, unless otherwise determined in writing by the General Manager.

### C. Definitions

**Reclassification:** The reassignment of a position to a different job classification with a different salary range, whether resulting from a change in duties, an organizational restructuring, or a reclassification study.

**Retained Rate:** The base hourly or monthly salary rate in effect for the employee at the time the y-rating action is implemented.

**Salary Range Maximum:** The highest step or rate within the established salary range for a given classification as approved by the Board of Directors.

**Wage Retention (Y-Rating):** A personnel action that preserves an employee's current base salary rate at a level above the maximum of the salary range assigned to their position, on a temporary

# STOCKTON EAST WATER DISTRICT POLICY MANUAL

basis, until the Salary Range Maximum is adjusted upward to equal or exceed the employee's Retained Rate.

**Y-Rate Employee:** An employee whose base salary has been retained above the maximum of their current salary range pursuant to this policy.

## D. Guidelines

**Eligibility:** An employee is eligible for Wage Retention when their current base salary rate exceeds the maximum of the salary range assigned to their position as a direct result of one of the qualifying circumstances listed in Section B of this policy. Y-rating is not automatic; it requires approval by the General Manager prior to implementation.

**Implementation:** Upon determination by the General Manager that y-rating is appropriate, the District shall notify the affected employee in writing. The written notice shall include:

- a. The effective date of the y-rating approval;
- b. The employee's Retained Rate;
- c. The Salary Range Maximum for the employee's new or reclassified position; and
- d. An explanation of the conditions under which the y-rating will be lifted.

**Effect on Compensation During Y-Rating Period:** The following compensation rules apply to a Y-Rate Employee:

1. **Retained Rate Frozen:** The Y-Rate Employee's base salary shall remain at the Retained Rate and shall not be increased through merit increases, step increases, or other discretionary pay adjustments.
2. **Cost-of-Living Adjustments (COLA):** A Y-Rated Employee shall not receive any across-the-board cost-of-living adjustments (COLA) approved by the Board of Directors unless the maximum salary for the classification is greater than the Retained Rate. A COLA applied to a Y-Rated Employee's Retained Rate does not change the employee's y-rated status; the employee remains y-rated until the conditions below are met.
3. **Benefits:** A Y-Rated Employee shall continue to receive all District benefits on the same basis as other employees in their classification.

**Termination of Y-Rating:** A y-rating shall be lifted, and the employee's compensation shall return to the normal salary administration process, under the following circumstances:

1. The Salary Range Maximum for the employee's current position is adjusted upward to a level equal to or exceeding the employee's Retained Rate, at which point the employee's salary shall be placed at the salary range step closest to but not less than the Retained Rate; or
2. The employee is promoted or reclassified upward to a position with a Salary Range Maximum that equals or exceeds the Retained Rate; or
3. The employee separates from District employment.

**Promotion or Reclassification Upward While Y-Rated:** If a Y-Rated Employee is promoted or reclassified to a higher-classified position, the employee's salary shall be set in accordance with the District's standard promotion and Reclassification practices. If the new Salary Range Maximum still

# STOCKTON EAST WATER DISTRICT POLICY MANUAL

does not exceed the Retained Rate, the y-rating shall continue under the new classification until the termination conditions above are met.

## E. Administration

The General Manager, or designee, is responsible for the administration of this policy. The General Manager has authority to approve y-rating actions and to make case-by-case determinations regarding application of this policy in circumstances not expressly addressed herein, consistent with the policy's purpose and the District's overall compensation framework. Any exception to this policy requires written approval of the General Manager and shall be documented in the affected employee's personnel file.

**Record-Keeping:** The District's Human Resources function shall maintain records of all y-rating actions, including the effective date, Retained Rate, applicable Salary Range Maximum, and the date on which the y-rating is lifted. Y-rating status shall be documented in the employee's personnel file.

## F. Review and Updates

This policy shall be reviewed periodically and amended as necessary to reflect changes in applicable law, District compensation structures, or operational needs. Amendments to this policy require approval by the Board of Directors.

Draft

THIS PAGE  
INTENTIONALLY  
LEFT BLANK

<b>Weekly Water Report</b>	As of: May 19, 2026	As of: May 26, 2026
<b>New Hogan (NHG) TOC</b>	<b>317,100</b>	<b>AF</b>
Storage:	210,998	AF
Net Storage Change:	-1,817	AF
Inflow:	30	CFS
Release:	168	CFS
<b>New Melones (NML) Allocation</b>	<b>75,000</b>	<b>AF</b>
Storage:	1,858,746	AF
Net Storage change:	-13,264	AF
Inflow:	1,957	CFS
Release:	3,284	CFS
<b>Source: CDEC Daily Reports</b>		

<b>Goodwin Diversion (GDW)</b>		
Inflow (Tulloch Dam):	3,478	CFS
Release to Stanislaus River (S-98):	2,208	CFS
Release to OID (JT Main):	636	CFS
Release to SSJID (SO Main):	333	CFS
Release to SEWD & CSJWCD:	<u>58</u>	CFS
Total Release	3,235	CFS
<b>Source: Tri-Dam Operations Daily Report</b>		
<b>Farmington Dam (FRM)</b>		
Diverted to SEWD:	60	CFS
Diverted to CSJWCD:	0	CFS

<b>Surface Water Used</b>		
Irrigators on New Hogan:	27	
Irrigators on New Melones:	4	
Out-Of-District Irrigators:	0	
DJWWTP Production:	34	MGD
North Stockton:	0	MGD
South Stockton:	11	MGD
Cal Water:	20	MGD
City of Stockton DWSP Production:	20	MGD

<b>District Ground Water Extraction</b>		
74-01	0	GPM
74-02	0	GPM
North	0	GPM
South	0	GPM
Extraction Well # 1	2,531	GPM
Extraction Well # 2	<u>3,148</u>	GPM
Total Well Water Extraction	5,679	GPM
Total Ground Water Production	8	MGD

**Note: \*\*The data reported here is available as of 05/17/26**

**\*The data reported here is available as of 05/18/26**

**All other flow data reported here is preliminary, as of 9:00 a.m. on 05/19/26**

THIS PAGE  
INTENTIONALLY  
LEFT BLANK



STOCKTON  
**STATE OF THE CITY** 2026



**2026 Speaker**  
Mayor Christina Fugazi

Presented by the



GREATER  
**STOCKTON**  
CHAMBER OF COMMERCE

**Wednesday, May 20<sup>th</sup>, 2026**

10:00am - 2:00pm  
Adventist Health Arena  
248 W. Fremont Street  
Stockton, CA 95203




**FREE EVENT OPEN TO THE PUBLIC**

Optional Lunch Tickets \$50

Register at:

<https://stocktonchamber.org/events/state-of-the-city/>

THIS PAGE  
INTENTIONALLY  
LEFT BLANK



San Joaquin County  
**Flood Control & Water  
Conservation District**  
1810 EAST HAZELTON AVENUE  
STOCKTON, CALIFORNIA 95205  
TELEPHONE: (209) 468-3000

**NAJEE ZARIF**  
DIRECTOR OF PUBLIC WORKS  
FLOOD CONTROL ENGINEER

**ADVISORY WATER COMMISSION**  
May 20, 2026, 1:00 p.m.  
San Joaquin Council of Governments  
555 E. Weber Avenue, Stockton, CA 95206

**AGENDA**

- I. Roll Call**
- II. Approval of the April 15, 2026, Minutes**
- III. Presentations/Discussion Items**
  - A. Regulatory Fee Proposal for Sustainable Groundwater Management Act (SGMA) Compliance within County Groundwater Sustainability Agency (GSA) No. 1 in the Eastern San Joaquin Subbasin
  - B. Regulatory Fee Proposal for SGMA Compliance within the County GSA in the Tracy Subbasin
  - C. San Joaquin County Drought Resilience Plan Update
  - D. Fall 2025 Groundwater Monitoring Report
- IV. Staff Reports**
  - A. SJAFCA
  - B. San Joaquin County Public Works
- V. Public Comment: *Please limit comments to three minutes.***
- VI. Commissioner Comments**
- VII. Future Agenda Items**
- VIII. Adjournment**

**Next Regular Meeting**  
June 17, 2026, 1:00 p.m.  
Robert Cabral Agricultural Center  
2101 E. Earhart Ave., Suite 100 Stockton, CA 95206

THIS PAGE  
INTENTIONALLY  
LEFT BLANK



6133 Freeport Blvd., FL2  
Sacramento, CA 95822-3534  
(916) 391-5030 F (916) 391-5044

**Board of Directors**

*Northern Region*

**Sarah Reynolds**  
Glenn-Colusa Irrigation District  
**Jeff Sutton**  
Ridgetop Rice Dryer  
**Greg Johnson, CFWC President**  
Western Canal Water District

*North Central Region*

**Becky Hackler Arellano**  
Turlock Irrigation District  
**Brett Lauppe**  
CoBank  
**Bill Diedrich**  
San Luis Water District

*South Central Region*

**Robyn A. Black**  
Anderson Farms  
**Scott Rogers**  
Tulare Irrigation District  
**Bill Stone**  
Upper San Jose Water Company

*Southern Region*

**Pat Ricchiuti**  
P-R Farms  
**Bill Wulff**  
Kern County Water Agency  
**Peter G. Nelson**  
Coachella Valley Water District

*At-Large*

**Gina Dockstader, CFWC V.P.**  
Imperial Irrigation District  
**Derrick Lum**  
Solano Irrigation District  
**Mark McKean**  
Kings River Conservation District  
**Sheridan Nicholas**  
Wheeler Ridge-Maricopa W.S.D.  
**Dee Zinke**  
Metropolitan Water District  
**Johnny Amaral**  
Friant Service Area  
**Diana Westmoreland**  
California Women for Agriculture  
**Wayne Western, CFWC Sec./Treas.**  
Hammonds Ranch

*Executive Director*  
**Michelle Paul**

05/08/26

RECEIVED

MAY 18 2026

STOCKTON EAST WATER DISTRICT  
Administration

Justin Hopkins  
Stockton East Water District  
P.O. Box 5157  
Stockton, CA 95205

Dear Mr. Hopkins,

Over 30 years ago, the first CFWC banners proclaiming “Food Grows Where Water Flows” appeared alongside California’s highways. They represented the positive farm water messaging envisioned by our founders, spawning numerous copycat efforts, and achieving a level of pop culture status through mentions in books, news articles, quotes by members of Congress, as well as being included in stock photography catalogs for licensed use in publications.

Over time, additional slogans were added to the program, including “Water Grows Food and Clothes,” “Farm Water Feeds the Nation,” and “Farm Water Works!”

CFWC has initiated an effort to reinvigorate this program and is seeking sign location sponsors that will assist in carrying our message to the traveling public. Traditional displays have been a 6’ X 30’ banner on a 30-foot cotton trailer in a location visible to a highway. Over the years, that has evolved to include more permanent structures in varying sizes from 4’ X 8’ to 8’ X 20’ and more colorful, crop-related imagery and slogans.

Sign location sponsors are asked to provide a suitable structure. CFWC will provide the banner at no cost. All we ask is that you install the banner and keep us informed of its condition in the event that it needs to be replaced. We have experienced a number of graffiti instances in recent years. Therefore, we recommend selecting sign locations that have limited access or utilize structures placing the sign above the reach of an individual.

Attached are best practices for sign placement based on State and County regulations. While this provides useful information, there have been no instances where CFWC banners have ever been subjected to an enforcement action by a county or the State of California.

[www.farmwater.org](http://www.farmwater.org)

If you are interested in partnering with us on this positive outreach program, please give me a call at (916) 391-5030 or email me at [mpaul@farmwater.org](mailto:mpaul@farmwater.org).

I look forward to hearing from you soon!

Sincerely,

A handwritten signature in cursive script that reads "Michelle Paul".

Michelle Paul  
Executive Director



## Quick Reference Guide

### Food Grows Where Water Flows Sign Placement

---

The “Food Grows Where Water Flows” sign program promotes positive awareness of the essential relationship between water and agriculture, highlighting how reliable water supplies are crucial for growing food. This guide provides a high-level overview of best practices for selecting sign locations.

#### Best Practices

- When possible, use vehicles or trailers as display structures. Building sides (such as barns) are also ideal.
- Select a location near a roadway, on the same side as oncoming traffic.
- Choose high-visibility locations where the public is most likely to drive by.
- Place signs on farm property within 1,000 feet of a highway.
- Prefer locations outside city boundaries when feasible.
- Avoid placing more than one sign on the same parcel.
- Follow county-specific size, height, and setback limits.
- Because signs may attract graffiti, consider options to reduce this risk.
- Choose locations with sufficient space for prominent displays. Traditional configurations include 6' x 30' banners mounted on 30-foot cotton trailers; permanent installations typically range from 4' x 8' to 8' x 20'.

#### For More Information

For more than 30 years, CFWC has partnered with its members on this program. During that time, there have been no instances in which CFWC banners were subject to an enforcement action by a county or the State of California.

If you have questions or would like more information, please contact the California Farm Water Coalition at (916) 391-5030 or email Michelle Paul at [mpaul@farmwater.org](mailto:mpaul@farmwater.org).

THIS PAGE  
INTENTIONALLY  
LEFT BLANK

**From:** Suzanne Wallace <[swallace@acwajpia.com](mailto:swallace@acwajpia.com)>  
**Sent:** Tuesday, May 19, 2026 9:02 AM  
**To:** Justin Hopkins <[JHopkins@sewd.net](mailto:JHopkins@sewd.net)>  
**Subject:** ACWA JPIA Completion of the JPIA Professional Development Program Specialty



Justin M. Hopkins, General Manager  
Stockton East WD  
6767 East Main Street  
Stockton, CA 95215

Re: Completion of the JPIA Professional Development Program Specialty

Dear Mr. Hopkins:

I am happy to inform you that Heather Wood completed the JPIA Operations Certification Program. By attending the required classes, Heather gained additional skills that make her a valuable asset to your organization.

A polished wood plaque with a silver engraved plate commemorating this achievement will be shipped via UPS to your attention. We hope you will present the plate to Heather, knowing that the JPIA appreciates you and your district's dedication to professional development.

Sincerely,

A handwritten signature in blue ink, appearing to read 'Adrienne Beatty', with a stylized flourish at the end.

Adrienne Beatty  
Chief Executive Officer

THIS PAGE  
INTENTIONALLY  
LEFT BLANK



# United States Department of the Interior



BUREAU OF RECLAMATION  
Interior Region 10  
Central California Area Office  
7794 Folsom Dam Road  
Folsom, California 95630-1799

IN REPLY REFER TO:

CC-403  
2.2.4.22

**MAY 19 2026**

VIA ELECTRONIC MAIL AND U.S. MAIL

Mr. Richard Atkins  
President, Board of Directors  
Stockton East Water District  
6767 East Main Street  
Stockton, California 95205-0157  
ratkins@sewd.net

Subject: Adjusted Declaration of Water Made Available for 2026 - Stockton East Water District Contract Number 4-07-20-W0329-P (Contract), East Side Division, Central Valley Project (CVP), California

Dear Mr. Atkins:

The East Side Division allocation for 2026 has been adjusted to 49,000 acre-feet. This is in response to a change in the San Joaquin Valley Water Type Index 60-20-20 from critical to dry. This adjustment is in accordance with the East Side Division Shortage Policy. Per Article 4(b) of your Contract, please provide Bureau of Reclamation with a schedule for your portion of the 49,000 acre-feet on or before May 29, 2026.

Reclamation will update the declaration as needed, based on then-current operational and hydrologic conditions. If you have any questions, please contact Mr. Daniel Cordova, Resource Management Division Chief, at 916-537-7060 or by email at [dcordova@usbr.gov](mailto:dcordova@usbr.gov).

Sincerely,

Leeyan Mao  
Acting Area Manager

cc: Mr. Justin Hopkins  
General Manager  
Stockton East Water District  
P.O. Box 5157  
Stockton, California 95205  
JHopkins@sewd.net

THIS PAGE  
INTENTIONALLY  
LEFT BLANK

# JUNE MIXER EVENT



**LET'S  
CONNECT!**

DRESS CODE:  
BUSINESS CASUAL



**JUNE 4, 2026**

AT 5:00 PM - 7:00 PM



Build valuable  
business relationships



**CHLORINE ROOM**

6767 East Main St.,  
Stockton, CA



Share ideas and  
exchange insights



**DRINKS PROVIDED BY  
VERVE IT**



Discover opportunities  
& collaborations

THIS PAGE  
INTENTIONALLY  
LEFT BLANK

# San Joaquin Farm Bureau **RECEIVED** 112<sup>th</sup> Annual Meeting

APR 20 2026

STOCKTON EAST WATER DISTRICT  
Administration

JOIN US FOR A NIGHT CELEBRATING MEMBERSHIP,  
AWARDING SCHOLARSHIPS, ELECTING YOUR 2026-2027  
BOARD OF DIRECTORS & NOMINATING YOUR SJFB  
OFFICER TEAM.

*Thursday,  
June 4<sup>th</sup>*

Roberts Union  
Farm Center  
4925 Howard Rd.  
Stockton, 95206



*No Host Social*

5:30 pm

*Dinner*

6:30 pm

*Program*

7:00 pm

*Event Tickets*

\$50  
Per Person

*Sponsorships*

Platinum - \$2,500

Gold - \$1,500

Silver - \$500

*Thank You To Our Existing Platinum Sponsor*



American  
AgCredit

Your future grows here

# Sponsorship Opportunities

ALL SPONSORS WILL RECEIVE RECOGNITION AT THE EVENT, SOCIAL MEDIA & IN THE SJFB NEWS. THE PLATINUM & GOLD SPONSORS MAY ALSO HAVE A TABLE AT THE EVENT TO DISTRIBUTE PROMO ITEMS. SPONSORS WHO CANNOT ATTEND THE EVENT CAN HAVE THEIR PROMO ITEMS DISTRIBUTED ON THEIR BEHALF.

Sponsorship Levels	Amount	Sign Me Up For
<i>Platinum Sponsor</i> [10 Dinner Tickets Included]	\$2,500	
<i>Gold Sponsor</i> [8 Dinner Tickets Included]	\$1,500	
<i>Silver Sponsor</i> [4 Dinner Tickets Included]	\$500	

# Donation Opportunities

YES! I would like to donate a raffle item[s] for the 112th Annual Meeting. Please count me in for the following:

Item Description: \_\_\_\_\_ Name: \_\_\_\_\_

Phone: \_\_\_\_\_ Email: \_\_\_\_\_

I would like someone to pick up my item[s].

I will deliver my item[s] to the Farm Bureau office by June 3rd.

I will deliver my item[s] to the event on June 4th.

# Event Tickets

\$50 Per Person

YES! I would like to purchase \_\_\_\_\_ tickets for the 112th Annual Meeting.

.....

Name: \_\_\_\_\_ Business: \_\_\_\_\_

Phone: \_\_\_\_\_ Email: \_\_\_\_\_

Address: \_\_\_\_\_ City: \_\_\_\_\_ ST: \_\_\_\_\_ Zip: \_\_\_\_\_

For sponsorship information and all other inquiries, call [209] 931-4931 or email Jessica, [jessica@sjfb.org](mailto:jessica@sjfb.org). Please have all RSVP's in by Friday, May 29th. To return your RSVP, email or mail it to the SJFB Office. Please make all checks payable to San Joaquin Farm Bureau and mail to 3290 N. Ad Art Rd., Stockton, CA 95215.